

Workforce Health, WorkFit Services



Job Capacity Statement: RN - Mental Health

The information below is designed to give you an indication of the likely demands of working in this role and will help you assess whether the job may suit you. You are encouraged to ask further questions about the demands if you have any concerns as local conditions may alter the demands you experience in the role. This should be read in conjunction with the Role Description which provides detail about the skills, knowledge and attributes relevant to the role. The Contact Officer listed in the job pack is the best person to contact with any queries.

Environmental Job Factors Possible Exposure to Infectious Diseases Shift Work

Overall Psychological Job Factors	Level of Importance
Level of Job Control or Autonomy	Moderate
Level of Supervision or Support Received	High
Contact with Co-workers/Colleagues (vs Isolation)	Moderate
Teamwork	High
Exposure to Confrontational Situations	High
Exposure to Emotional Situations	High
Level of Scrutiny and Accountability from Others (exposure to public scrutiny)	Moderate
Sensitivity and Empathy to Needs of Others	High
New Relationship Building	Moderate
Safety Pressures: Exposure to High Risk with Regard to Safety	High
Switching Between Tasks	Moderate
Time Pressures (including deadlines)	Moderate
Contact with Consumers/ Customers	High
Self-control and Regulation of Emotions	High
Learning (requirement to learn new information and integrate this into work practices)	Moderate

P	Highest Level Of Complexity	
Abstract	Problem Solving & Critical Thinking (including judgement)	High
Attention And Accuracy	Attention: Concentration	Moderate
	Attention: Degree of Precision & Accuracy	Moderate
Processing Quick Thinking		High
Verbal	Oral Communication (including active listening)	High
	Reading Literacy	Moderate
	Writing Literacy	Moderate

Physical Demands	Frequency (8 Hour Shift)	Max Load
Dynamic Strength		'
Floor to Waist Lift	Occasional: up to 2.5 hours	12kg
Two handed Carry	Occasional: up to 2.5 hours	15kg
Pull	Occasional: up to 2.5 hours	30kg
Push	Frequent: up to 5 hours	30kg NB: must be able to generate a 45kg downward push for CPR, approx. 17-21kg body weight + 18-24kg applied force (occurs rarely)
Waist to Eye Level Lift	Infrequent: up to 10 minutes	10kg
Physical Demands	Frequency (8 Hour Shift)	Max 'at one' Time
Manual Task Postures		
Lunge - Forward/Backward	Required	-
Lunge - Sideways	Required	-
Other		
Maintain Balance Against External Forces	Required	-
Position Tolerance Activities		
Kneeling	Occasional: up to 2.5 hours	10 minutes
Neck Flexion	Occasional: up to 2.5 hours	10 minutes
Sitting	Frequent: up to 5 hours	60 minutes
Standing	Occasional: up to 2.5 hours	30 minutes
Work Bent Over- Standing	Occasional: up to 2.5 hours	15 minutes
Upper Limb		'
Forward Reach	Frequent: up to 5 hours	20 minutes
Grip	Frequent: up to 5 hours	120 minutes
Keying/Mousing	Occasional: up to 2.5 hours	120 minutes
Precise Hand & Finger Movement/Use (Manual or Finger Dexterity)	Frequent: up to 5 hours	120 minutes
Overhead Reach	Required	

NB: this is not an exhaustive list of ALL job factors and demands, but those which are considered to be significant.

Definition of frequency (based on 8 hour shift)			
Infrequent: up to 10 minutes Occasional: up to 2.5 h		Frequent: up to 5 hours	Constant: up to 8 hours
0 - 2%	2-33%	34-66%	67-100%
Up to 10 minutes	>10 min - 2.5 hours	>2.5 – 5 hours	More than 5 hours

Immunisation Demands			
Risk Category	Risk Category Description	Immunisation Requirements	
A	Direct contact with blood or body substances	Diphtheria-Tetanus-Pertussis Hepatitis B *Hepatitis A Influenza Measles-Mumps-Rubella Varicella	

Applicants are responsible for completing minimum immunisation requirements with their preferred immunisation provider prior to commencing employment

^{*}The Australian Immunisation Handbook recommends Hepatitis A vaccine for HCWs who work in rural and remote Indigenous communities; with Indigenous children; or care for persons with developmental disabilities.

[•] All Healthcare workers who provide patient care must complete the Tuberculosis Screening questionnaire. The need for mantoux testing and or interferon gamma release assay (blood test) is determined by your individual risk or by health service risk. Refer to Policy Directive Control of Tuberculosis in South Australian Health Services for further information.